



Now all systems, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing and reviewing the collection of information, send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0754-0188), Washington, DC 20503.

1. REPORT USE ONLY (Leave blank)		2. REPORT DATE		3. REPORT TYPE AND DATES COVERED Final 01 Nov 88 TO 31 Oct 91	
4. TITLE AND SUBTITLE SOLAR ACTIVITY CYCLE				5. FUNDING NUMBERS AFOSR-89-0048 PE - 61102F PR - 2311 TA - AS	
6. AUTHOR(S) Dr Philip Goode					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) New Jersey Institute of Technology Department of Physics University Heights Newark, NJ 07102				8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-TR- 92 0078	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dr Henry Radoski AFOSR/NL Building 410 Bolling AFB, DC 20332-6448				10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				DTIC S ELECTE MAR 09 1992	
12a. DISTRIBUTION / AVAILABILITY STATEMENT This document has been approved for public release and sale; its distribution is unlimited.				12b. DISTRIBUTION CODE D	
13. ABSTRACT (Maximum 200 words) Work focussed on describing the solar activity cycle's clock as a torsional oscillator, and describing the origin of the 5 minute oscillations, which are used as a seismic probe. It has been discovered that the sun's rotation does not vary near the base of the convection zone but may vary deeper down. The full equations for the torsional oscillator have been developed and have been solved for certain situations. It has been shown that the 5 minute oscillations are driven by granular size explosive events. In observational work, the observing set-up has been designed to capture the whole solar disk. Data is now able to be collected in a production mode. Data reduction programs also are in full operation. The basic behavior of 5 minute oscillations has been clearly seen. A search is underway for the global organization of convection to determine if giant cells exist.					
14. SUBJECT TERMS				15. NUMBER OF PAGES	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT (U)		18. SECURITY CLASSIFICATION OF THIS PAGE (U)		19. SECURITY CLASSIFICATION OF ABSTRACT (U)	
				20. LIMITATION OF ABSTRACT (U)	



New Jersey
Institute of
Technology

12-18-91
Department of Physics

November 15, 1991

Dr. Henry Radoski, Physics Directorate
Air Force Office of Scientific Research
Building 410
Bolling Air Force Base
Washington, D.C. 20332

92-05460



Dear Dr. Radoski:

This is the technical report on AFOSR-89-0048 covering the period 11/1/90-10/31/91. During this period we have applied for no patents.

For most of the period covered in this report I was on sabbatical at the Institute of Astronomy in Cambridge University(from September 1990 through August 1991). During that time my work primarily concerned theoretical aspects of grant, while Stebbins and Restaino focused on the observational aspects.

My work in Cambridge was focused on describing the activity cycle's clock as a torsional oscillator, and describing the origin of the 5 minute oscillations which are our seismic probe. The original motivation for considering a torsional oscillator comes from helioseismology, Goode and Dziembowski(1991, Nature 349, 223), from which we have learned that the Sun's rotation does not vary near the base of the convection zone but may vary deeper down. The full equations for the torsional oscillator have been developed and have been solved for certain situations. Currently, Gough and I are developing the equations to describe the driving of a torsional oscillator confined to the radiative interior. The other work concerns the nature of the driving of all-important 5 minute oscillations. In this we showed, contrary to general expectation, that the oscillation is driven by granular size explosive events, Goode, Gough and

92 3 03 192

Kosovichev(1992, Ap.J., in press). Knowing this is critical in our efforts to learn the global organization of convection and its relation to the origin of activity. In addition to this, I gave the invited review on the Sun's internal magnetism at the NASA workshop on the OSL satellite. The meeting was held in Capri last May. Further, I spent time at St. Andrews University in Scotland working with people there about the driving and damping of oscillations.

In the observational work, Stebbins and Restaino have de-bugged our observing set-up which is designed to allow us to capture the whole disk. We now are able to collect data in a production mode. Further, the data reduction programs are in full operation. We have made videos of our data and clearly see the basic behavior of 5 minute oscillation described by Goode, Gough and Kosovichev. We are now making global maps of the flux so we can look for the global organization of convection to see if giant cells exist.

Dr. Restaino is still in residence at the Sacramento Peak Observatory.

Sincerely,

Philip
Philip Goode



Accession For	
NTIS	CRA&I
DTIC	TAS
Unannounced	
Justification	
By	
Distribution	
Availability	
Dist	Avail
A-1	